LONG SPAN SHELVING

Profile Systems | Spec Sheet



v1.1

PROFILE SYSTEMS

Profile Systems | Australia | Phone: 1800 788 755 | E-mail: sales@profilesystems.com.au | www.profilesystem.com.au



LONG SPAN SHELVING

Specifications



FEATURES

- POWDERCOATED STEEL
- LIGHT GREY BEAMS
- GALVANISED STEEL SHELVING
- NUMBER OF BAYS AND STORAGE LEVELS CUSTOMISED TO SUIT REQUIREMENTS

LEAD TIME

6-8 WEEKS

DIMENSIONS

- SG01 - 4 X BAYS 1500MMW X 600MMD X 2200MMH
- SG02 - 3 X BAYS 1800MMW X 600MMD X 2200MMH
- SG03 - 3 X BAYS 2400MMW X 600MMD X 2200MMH
- SG04 - 2 X BAYS 1800MMW X 600MMD X 2200MMH

Ideal for archive box storage, a step beam frame is used to protect shelf inserts and offer a flush storage surface. Shelves can store loads of up to 450kg uniformly distributed, and the shelf inserts are available in particle board, melamine, mesh decking and galvanised steel, all quality powdercoated finish in cyber grey.

PROFILE SYSTEMS

PROFILE SYSTEMS



GENERAL INFO & TERMS

PROFILE SYSTEMS GUARANTEE
Profile Systems provides warranty policies on products that specify a warranty period. The warranty period commences on the date of delivery.

PROFILE SYSTEMS CERTIFICATION
Profile Systems continually strive to reduce the environmental impact of all products we offer. For many years, Profile Systems has been working with dedicated suppliers and manufacturers who conform to the ISO14001 standard. This standard is used worldwide to assess business environmental management systems in order to ensure wood products originate from responsibly managed forests.
In line with this, we have created an internal product stewardship program, which directly aligns with our manufacturing partners who are ISO 14001 certified and accredited with GreenGuard, BIFMA, GECA, AFRDI, Greentick, FSC, VOC certifications or equivalent.
Additionally, we endeavour to recycle all product packaging and strive to recycle and re-home furniture utilising our End of Life Policy.

PROFILE SYSTEMS QUALITY
Thanks to our established quality requirements and control management of production processes, Profile Systems can guaranteee excellent quality, long life and durability.

PROFILE SYSTEMS FABRICS
The shades of fabric swatches found in this document cannot be reproduced exactly to what is seen on digital or printed paper. Profile Systems is entitled to make modifications at any time or without any prior notice.

PROFILE SYSTEMS LEAD TIMES
Is measured from the receipt of approved shop drawings, an official purchase order, and payment of the deposit invoice. Lead times exclude weekends, public holidays, and RDOs. Lead time is subject to specified fabrics/laminate/timber finishes being in stock and readily available at receipt of order confirmation. Profile Systems reserves the right to extend our lead-time if materials are not readily available.

PROFILE SYSTEMS MAINTENANCE
If you have any queries in regards to our general maintenance practices, or you have a product matter you need to discuss, please send us an email with images to sales@profilesystems.com.au

CONTACT

For further enquiries / to order:
sales@profilesystems.com.au
1800 788 755
www.profilesystems.com.au

LOCATIONS

HEAD OFFICE
Unit 8, 25 Frenchs Forest Rd. E
Frenchs Forest, NSW 2086 Australia

NSW SHOWROOM
Level 3, 60 Reservoir St
Surry Hills, NSW 2010 Australia

VIC SHOWROOM
Unit 1, 35-47 Hood St
Airport West, VIC 3042 Australia

CANBERRA SHOWROOM
Unit 1, Building 1, 26 Ipswich St
Fyshwick, ACT 2609 Australia

SYDNEY PO BOX
P.O. BOX 461
Collaroy Beach, NSW 2097 Australia

PROFILE SYSTEMS