STITCH

Profile Systems | Product Details

PROFILE SYSTEMS



STITCH

Product Details



Specifications

- 630mm W x 630mm D x 830mm-875mm H (Overall)
- Arms - No Arms, Black P/C, White P/C
- 5 Star Base & Gas Strut Finished In Black Or White P/C
- Gas Lift Height Stroke: 45mm
- Seat Width: 450mm
- Seat Depth: 420mm
- Back Height: 380mm
- Back Width: 450mm - 370mm
- Seat Height: 470mm-515mm
- 120 Kg Weight Rating
- Martindale Test: 70,000 Cycles
- 5 Year Warranty

PROFILE SYSTEMS

The Product



A versatile seating solution for various settings, the Stitch Chair features ribbed stitching detail, and a 5 star base with gas strut for stability and elegance. Backed by a 5 year warranty.

HOUSE FABRICS

Specifications:

Fabric Composition: 100% Polyester
PU Composition: 100% Polyurethane finish
Roll Width: 1330mm
Fabric Grade: Commercial Grade
Fabric Rub Rating: 40,000 Abrasions
PU Grade: Heavy Duty Commercial
PU Rub Rating: 70,000 Abrasions
Usage: Screens, Chairs & Lounges


*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

CATEGORY A - HOUSE FABRICS

CHAIR FABRICS


Black Fabric


Olive Fabric


Charcoal Ash Fabric


Rust Fabric


Light Blue Fabric


Sunday Light Grey

PU FABRICS


Black PU


PU605 PU



Amber PU


French Navy PU

SCREEN FABRICS


Black


Grey


Blue

RIM FABRICS

SENSTATIONRANGE


Specifications:

Fabric Composition: 100% polyester
Roll Width: 1880cm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 76,000 Abrasions
Usage: Screens

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.rimfabrics.com

CATEGORY B - RIM FABRICS



LAINE FABRICS

SUZETTE RANGE

Specifications:

Fabric Composition: 100% polyester
Roll Width: 1880mm
Fabric Grade: Commercial Grade
Fabric Rub Rating: 37,600 Abrasions
Usage: Screens

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.laine.com.au

CATEGORY B - LAINE FABRICS



SUSTAINABLE FABRICS

RENEGADE RANGE

Specifications

Fabric Composition: 100% Eco-Polyester
Roll Width: 1370mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 55,500 Abrasions
Usage: Screens, Chairs & Lounges

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.sustainablelivingfabrics.com.au


CATEGORY C - SUSTAINABLE LIVING FABRICS

RENEGADE HARVEST



Sheriff


Insurgent


Defector


Bandit



Radical


Ranger


Turncoat


Rebel


Dissenter


Deputy

RENEGADE BRIGHTS

Amnesty


Truce

Civil


Alliance


Treaty


Conquer


Reconcile


Victory


Unity



Justice

RENEGADE ORIGINALS


Arbiter


Extremist


Loyalist



Informer


Fugitive


Champion


Pacifist


Traitor


Deceiver


Spy


Outlaw


Deser ter

INSTYLE FABRICS

THINK PLUS RANGE


Specifications:


Fabric Composition: 100% polyester
Roll Width: 1370mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 117,000 Abrasions
Usage: Screens, Chairs & Lounges


*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.


www.instyle.com.au


CATEGORY C - INSTYLE FABRICS


Logically | Pace | Instinctively | Focus | Tactics | Quiet


Ability | Iconic | Ve r ve | Twice | Choice | Young


Mindfully | Exclusively | Tank | Of Me | Modern | Retro


Daydream | Happy | Next | Karma | Holistically | Night Time


Fresh | Wish | Legacy | About It | Urban | Blue Sky

INSTYLE FABRICS


THINK PLUS RANGE


Specifications:


Fabric Composition: 100% polyester
Roll Width: 1370mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 117,000 Abrasions
Usage: Screens, Chairs & Lounges


*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

CATEGORY C - INSTYLE FABRICS


Effectively | Visually | Together | Aloud | Versatile | Laterally


Seriously | Practical | Eclectic | Deeply | Advantage | Bravely


Smart | Peacefully | Trend | Bubble | One | Boldy


Future | Wow | Mar vel | Action

WARWICK FABRICS

BEACHCOMBER RANGE

Specifications

Fabric Composition: 100% Polyester
Roll Width: 1400mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 150,000 Abrasions
Usage: Chairs & Lounges

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.warwick.com.au

CATEGORY C - WARWICK FABRICS

Ice



Alabaster


Nougat


Mauve



Fuchsia


Flame


Mist


Taupe


Oatmeal


Tumeric


Papaya


Scarlet


Aqua



Lagoon


Pacific


Kiwi


Ash


Driftwood


Atlantic


Teal

WARWICK FABRICS

BEACHCOMBER RANGE

Specifications

Fabric Composition: 100% Polyester
Roll Width: 1400mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 150,000 Abrasions
Usage: Chairs & Lounges

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.warwick.com.au

CATEGORY C - WARWICK FABRICS


Marine



Amethyst



Aubergine


Fudge


Sable



Graphite


Cobalt


Fern


Forest


Magenta


Manuka


Midnight


Orchid


Pewter


Smoke


Straw


Terracotta

WARWICK FABRICS

LUSTRELL RANGE

CHARISMA

Specifications
Fabric Composition: 82% PVC

18% Polyester

Roll Width: 1370mm

Fabric Grade: Heavy Duty Commercial

Fabric Rub Rating: 150,000 Abrasions

Usage: Chairs & Lounges

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.warwick.com.au

CATEGORY C - WARWICK FABRICS



WARWICK FABRICS

LUSTRELL RANGE

CHARISMA

Specifications
Fabric Composition: 82% PVC

18% Polyester

Roll Width: 1370mm

Fabric Grade: Heavy Duty Commercial

Fabric Rub Rating: 150,000 Abrasions

Usage: Chairs & Lounges

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.warwick.com.au

CATEGORY C - WARWICK FABRICS



WARWICK FABRICS
ASHCROFT RANGE

Specifications
Fabric Composition: 50% Polyester

50% Recycled Polyester

Roll Width: 1440mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 70,000 Abrasions
Usage: Chairs & Lounges

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.


www.warwick.com.au


CATEGORY C - WARWICK FABRICS


Scarlet


Red


Pink


Teal


Pacific


Ocean


Navy


Purple


Lemon



Canary


Orange


Kiwi



Grass


Cloud


Turquoise


Silver


Gunmetal


Onyx

WARWICK FABRICS

HAWTHORN RANGE

Specifications

Fabric Composition: 100% Polyester
Roll Width: 1440mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 91,000 Abrasions
Usage: Chairs & Lounges

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.warwick.com.au

CATEGORY C - WARWICK FABRICS


Blush


Charcoal


Denim


Ear th


Forest


Manuka


Mink


Mist


Natural


Navy


Olive


Onyx


Pumice


Rosewood


Seafoam


Silver


Sky


Taupe

WARWICK FABRICS

COPELAND RANGE

Specifications

Fabric Composition: 100% Polyester
Roll Width: 1480mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 100,000 Abrasions
Usage: Chairs & Lounges

*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

www.warwick.com.au

CATEGORY C - WARWICK FABRICS


Bark


Birch


Brick


Charcoal



Cloud


Denim


Dusk


Ecru


Eucalyptus


Frost


Granite


Greenstone


Gull


Hazel


Honey


Hunter


Ink

Ivory


Lagoon


Mallard


Marl


Mist


Olive


Onyx


Opal


Praline


Pumice


Raisin


Rosebud

Snow


Spruce


Sumac

WORTLEY FABRICS

ACCESS RANGE

Specifications

Fabric Composition: 100% Polyester
Roll Width: 1420mm
Fabric Grade: Heavy Duty Commercial
Fabric Rub Rating: 175,000 Abrasions
Usage: Screens, Chairs & Lounges


*Despite every effort to provide accurate representations of colours, true fabric colours may vary slightly from your monitor.

WORTLEY


www.wgshowroom.com.au


CATEGORY C - WORTLEY FABRICS



Sapphire


Carbon


Citrus



Denim


Fire


Meadow


Natural


Navy


Pillar Box


Purple


Tangerine


Teal


Falcon


Linen

PROFILE SYSTEMS

GENERAL INFO & TERMS

PROFILE SYSTEMS GUARANTEE
Profile Systems provides warranty policies on products that specify a warranty period. The warranty period commences on the date of delivery.

PROFILE SYSTEMS CERTIFICATION
Profile Systems continually strive to reduce the environmental impact of all products we offer. For many years, Profile Systems has been working with dedicated suppliers and manufacturers who conform to the ISO14001 standard. This standard is used worldwide to assess business environmental management systems in order to ensure wood products originate from responsibly managed forests In line with this, we have created an internal product stewardship program, which directly aligns with our manufacturing partners who are ISO 14001 certified and accredited with GreenGuard, BIFMA, GECA, AFRDI, Greentick, FSC, VOC certifications or equivalent.Additionally, we endeavour to recycle all product packaging and strive to recycle and re-home furniture utilising our End of Life Policy.

PROFILE SYSTEMS QUALITY
Thanks to our established quality requirements and control management of production processes, Profile Systems can guaranteee excellent quality, long life and durability.

PROFILE SYSTEMS FABRICS
The shades of fabric swatches found in this document cannot be reproduced exactly to what is seen on digital or printed paper. Profile Systems is entitled to make modifications at any time or without any prior notice.

www.profilesystems.com.au/products

PROFILE SYSTEMS LEAD TIMES
Is measured from the receipt of approved shop drawings, an official purchase order, and payment of the deposit invoice. Lead times exclude weekends, public holidays, and RDOs. Lead time is subject to specified fabrics/laminate/timber finishes being in stock and readily available at receipt of order confirmation. Profile Systems reserves the right to extend our lead-time if materials are not readily available.

PROFILE SYSTEMS MAINTENANCE
If you have any queries in regards to our general maintenance practices, or you have a product matter you need to discuss, please send us an email with images to sales@profilesystems.com.au

CONTACT

For further enquiries / to order:
sales@profilesystems.com.au
1800 788 755
www.profilesystems.com.au



LOCATIONS

HEAD OFFICE
Unit 8, 25 Frenchs Forest Rd. E
Frenchs Forest, NSW 2086 Australia

NSW SHOWROOM
Level 3, 60 Reservoir St
Surry Hills, NSW 2010 Australia

VIC SHOWROOM
Unit 1, 35-47 Hood St
Airport West, VIC 3042 Australia

CANBERRA SHOWROOM
Unit 1, Building 1, 26 Ipswich St
Fyshwick, ACT 2609 Australia

SYDNEY PO BOX
P.O. BOX 461
Collaroy Beach, NSW 2097 Australia